

**FEBS**
*Letters*journal homepage: www.FEBSLetters.org

Corrigendum

Corrigendum to “Adiponectin downregulates galectin-3 whose cellular form is elevated whereas its soluble form is reduced in type 2 diabetic monocytes” [FEBS Lett. 583 (2009) pp. 3718–3724]



Markus Weber, Daniela Sporrer, Johanna Weigert, Josef Wanninger, Markus Neumeier, Sylvia Wurm, Fabian Stögbauer, Andrea Kopp, Margarita Bala, Andreas Schäffler, Christa Buechler*


Department of Internal Medicine I, Regensburg University Hospital, D-93042 Regensburg, Germany

Several unfortunate errors occurred as detailed below. These errors do not compromise the validity of the results or the integrity of the conclusion drawn upon them.


The term “Fig. 1B” in the last sentence of section 2.6 “Enzyme-linked immunosorbent assay (ELISA)” on page 3720 has to be deleted. The correct sentence is:

“Concentrations were 3.4 (2.9–3.6) ng/ml and, therefore, less than 5% of galectin-3 in the supernatants of the monocytes with 17.6 (7.5–43.7) ng/ml accord to serum galectin-3.”

The blots in Fig. 1C are wrong. The correct Fig. 1C is:



The blot in Fig. 1D representing GAPDH is wrong. The correct Fig. 1D is:



DOI of original article: <http://dx.doi.org/10.1016/j.febslet.2009.10.008>

* Corresponding author. Fax: +49 941 944 7019.

E-mail address: christa.buechler@klinik.uni-regensburg.de (C. Buechler).